

**Name** `delete-connector-connection-pool`— removes the specified connector connection pool

**Synopsis** `delete-connector-connection-pool [--help] [--target target] [--cascade={false|true}] poolname`

**Description** The `delete-connector-connection-pool` subcommand removes the specified connector connection pool.

This subcommand is supported in remote mode only.

**Options** `--help`

`-?`

Displays the help text for the subcommand.

`--target`

Do not specify this option. This option is retained for compatibility with other releases. If you specify this option, a syntax error does not occur. Instead, the subcommand runs successfully and the option is silently ignored.

`--cascade`

When set to true, all connector resources associated with the pool are deleted. The pool itself is not deleted. When set to false, the deletion of pool fails if any resources are associated with the pool. The resource must be deleted explicitly or the option must be set to true. Default is false.

**Operands** `poolname`

The name of the connection pool to be removed.

**Examples** **EXAMPLE 1** Deleting a Connector Connection Pool

This example deletes the connector connection pool named `jms/qConnPool`.

```
asadmin> delete-connector-connection-pool
--cascade=false jms/qConnPool
Command delete-connector-connection-pool executed successfully
```

**Exit Status** 0 subcommand executed successfully

1 error in executing the subcommand

**See Also** [create-connector-connection-pool\(1\)](#), [list-connector-connection-pools\(1\)](#), [ping-connection-pool\(1\)](#)

[asadmin\(1M\)](#)