

Name list-logger-levels– lists the loggers and their log levels

Synopsis list-logger-levels [--help]

Description The list-logger-levels subcommand lists the current Enterprise Server loggers and their log levels. This subcommand reports on all the loggers that are listed in the logging.properties file. In some cases, loggers that have not been created by the respective containers will appear in the list.

This subcommand is supported in remote mode only.

Options --help
-?

Displays the help text for the subcommand.

Examples **EXAMPLE 1** Listing the Log Levels

This example lists the existing loggers and their log levels.

```
asadmin> list-log-levels
javax.enterprise.system.container.cmp: INFO
javax.enterprise.system.tools.admin: INFO
java.util.logging.ConsoleHandler: FINEST
javax.enterprise.system.container.web: INFO
javax.enterprise.system.util: INFO
javax.enterprise.resource.webcontainer.jsf.timing: INFO
javax: INFO
javax.enterprise.resource.corba: INFO
javax.enterprise.system.core.naming: INFO
javax.enterprise.system.core.selfmanagement: INFO
javax.enterprise.system.container.ejb: INFO
javax.enterprise.resource.webcontainer.jsf.config: INFO
javax.enterprise.resource.javamail: INFO
org.apache.catalina: INFO
javax.enterprise.system.core.config: INFO
javax.enterprise.system.webservices.rpc: INFO
javax.enterprise.system.webservices.registry: INFO
javax.enterprise.system.tools.deployment: INFO
javax.enterprise.resource.jms: INFO
javax.enterprise.system: INFO
javax.enterprise.system.webservices.saaj: INFO
org.apache.jasper: INFO
javax.enterprise.resource.webcontainer.jsf.lifecycle: INFO
javax.enterprise.resource.jta: INFO
javax.enterprise.resource.jdo: INFO
javax.enterprise.resource.resourceadapter: INFO
javax.enterprise.system.core.transaction: INFO
javax.enterprise.resource.webcontainer.jsf.resource: INFO
javax.enterprise.system.core.security: INFO
```

EXAMPLE 1 Listing the Log Levels (Continued)

```
javax.enterprise.resource.webcontainer.jsf.application: INFO
javax.enterprise.system.core.classloading: INFO
org.apache.coyote: INFO
javax.enterprise.resource.webcontainer.jsf.managedbean: INFO
javax.enterprise.system.container.ejb.mdb: INFO
javax.enterprise.resource.webcontainer.jsf.context: INFO
javax.enterprise.resource.webcontainer.jsf.renderkit: INFO
javax.enterprise.resource.webcontainer.jsf.facelets: INFO
javax.enterprise.resource.webcontainer.jsf.taglib: INFO
```

Command list-logger-levels executed successfully.

Exit Status 0 subcommand executed successfully
1 error in executing the subcommand

See Also [rotate-log\(1\)](#), [set-log-level\(1\)](#)
[asadmin\(1M\)](#)

Chapter 7, “Administering the Logging Service,” in *Sun GlassFish Enterprise Server v3 Administration Guide*

